

Amendments to the Claims:

This listing of Claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 – 18. (Cancelled)

19. (Previously Presented) A method, in a telecommunications network, of providing multimedia information associated with called party terminal to a calling party terminal, the method, performed by a core network node, comprising the steps of:

retrieving subscriber data of the called party, wherein the subscriber data comprises a demand for presenting the multimedia information;

receiving in the core network node a call set up message comprising an identification of the called party,

recognizing, according to the subscriber data and the received identification of the called party, the demand for providing the multimedia information, and

sending a network address or Universal Resource Locator (URL) to the calling party terminal for retrieving the multimedia information.

20. (Cancelled)

21. (Previously Presented) The method according to claim 19 for providing multimedia information associated with a called party to a calling party's terminal wherein the subscriber data is related to an IN subscription or a CAMEL subscription of the called party.

22. (Previously Presented) The method according to claim 19, for providing multimedia information wherein the call set up message is appropriate for

setting up a circuit switched call and the multimedia information is provided using a packet switched connection.

23. (Previously Presented) A core network node (CNN) in a telecommunications network for providing multimedia information associated with a called party terminal to a calling party terminal, the core network node (CNN) comprising

means for storing or providing access to subscriber data of a called party, the subscriber data comprising an indication for a demand for presenting the multimedia information,

an interface for sending messages,

an interface for receiving messages, and

a processing system for processing said messages, the processing system being adapted to:

process a received call set up message comprising an identification of the called party,

recognize, according to received identification of the called party, the demand for providing the multimedia information, and

send, to the calling party terminal, a network address or Universal Resource Locator (URL) for retrieving the multimedia information.

24. (Cancelled)

25. (Previously Presented) The core network node according to claim 23 for providing multimedia information associated with a called party to a calling party's terminal wherein the subscriber data is related to an IN subscription or a CAMEL subscription of the called party.

26. (Previously Presented) The core network node according to claim 23 for providing multimedia information associated with a called party to a calling party's terminal wherein the call set up message is appropriate for setting up a circuit switched call and the processing system is adapted to providing the multimedia information using a packet switched connection.

27. (Previously Presented) A method, in a core network node of a telecommunications network, for providing multimedia information associated with a called party terminal to a calling party terminal, the method comprising the steps of:

- retrieving subscriber data of the called party terminal, wherein the subscriber data comprises a demand for presenting the multimedia information;

- receiving in the core network node a call set up message comprising an identification of the called party terminal,

- recognizing, according to the subscriber data and the received identification of the called party terminal, the demand for providing the multimedia information, and

- sending a network address or Universal Resource Locator (URL) to the calling party terminal for retrieving the multimedia information.

28. (Previously Presented) A method, in a core network node of a telecommunications network, for providing multimedia information associated with a called party terminal to a calling party terminal, the method comprising the steps of:

- retrieving subscriber data of the called party terminal, wherein the subscriber data comprises a demand for presenting the multimedia information;

- receiving in the core network node a call set up message comprising an identification of the called party terminal,

- recognizing, according to the subscriber data and the received identification of the called party terminal, the demand for providing the multimedia information, and

- if the called party terminal is not able to send the multimedia information, sending a network address or Universal Resource Locator (URL) to the calling party terminal for retrieving the multimedia information.